

Uniquard PU Topcoat Comp A

Section 1. Identification

Product name: Uniguard PU Topcoat

Product description: Paint Liquid **Product type**

Other means of identification: Not available

Supplier's details: **Universal Paint Technologies**

Wadi Al-eish Zarqa, Jordan.

Tel: 00962 6 4884454 Fax: 00962 6 4884458

Section 2. Hazards identification

Classification of the substance or

mixture:

FLAMMABLE LIQUIDS - Category 3

SKIN CORROSION/IRRITATION - Category 3

SKIN SENSITISATION - Category 1

SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 3 LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3

GHS label elements Hazard pictograms:





Signal word: Warning.

Hazard statements: H226 - Flammable liquid and vapour.

H316 - Causes mild skin irritation.

H317 - May cause an allergic skin reaction.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention: P280 - Wear protective gloves, protective clothing, eye

protection, face protection, or hearing protection.

P210 - Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P273 - Avoid release to the environment.

P261 - Avoid breathing vapour.

P362 + P364 - Take off contaminated clothing and wash it Response:

before reuse.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P333 + P313 - If skin irritation or rash occurs: Get medical advice

or attention.

Storage: Not applicable.

Disposal: P501 - Dispose of contents and container in accordance with

all local, regional, national and international regulations.

Other hazards which do not result in

classification:

None known.

Date of issue:28.08.2024 Page: 1/10



Section 3. Composition/information on ingredients

Substance/mixture: Mixture

Other means of identification: Not available.

CAS number/other identifiers

CAS number: Not applicable.

EC number: Mixture

Ingredient name	%	CAS number
xylene	< 10	1330-20-7
n-butyl acetate	≤ 5	123-86-4
ethylbenzene	≤ 3	100-41-4

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper

and lower eyelids. Check for and remove any contact lenses. Continue

to rinse for at least 10 minutes. Get medical attention.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints

or symptoms, avoid further exposure.

Skin contact: Wash with plenty of soap and water. Remove contaminated clothing and

shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

Date of issue:28.08.2024 Page: 2/10



Ingestion: Wash out mouth with water. Remove dentures if any. If material has been

swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact:

No known significant effects or critical hazards.

Inhalation:

No known significant effects or critical hazards.

Skin contact: Causes mild skin irritation. May cause an allergic skin reaction.

Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation: No specific data.

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician: Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments: No specific treatment

Protection of first-aiders: No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media: Use dry chemical, CO₂, water spray (fog) or foam

Unsuitable extinguishing media: Do not use water jet.

Products of Combustion: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

Date of issue:28.08.2024 Page: 3/10



Special protective actions for firefighters:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel:

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and material for containment and cleaning up

Small spill:

Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill:

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Avoid generation and spreading of dust. Avoid contact with skin or inhalation of spillage, dust vapour. Wear necessary protective equipment. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

Section 7. Handling and storage

Precautions for safe handling Protective measures:

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitisation problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not breathe vapour or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is

Date of issue:28.08.2024 Page: 4/10



inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use

Section 8. Exposure controls/personal protection

Control parameters
Occupational exposure limits
None.

Appropriate engineering controls:

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures
Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection:

Safety eyewear complying to EN 166 should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Date of issue:28.08.2024 Page: 5/10



Skin protection

Hand protection: There is no one glove material or combination of materials that

will give unlimited resistance to any individual or combination of chemicals. The breakthrough time must be greater than the end use time of the product. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the

glove material.

Always ensure that gloves are free from defects and that they

are stored and used correctly.

The performance or effectiveness of the glove may be reduced

by physical/chemical damage and poor maintenance.

Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

Wear suitable gloves tested to EN374.

Recommended, gloves(breakthrough time) > 8 hours: nitrile

rubber, butyl rubber, PVC.

Body protection: Personal protective equipment for the body should be selected

based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being performed and the risks involved and should be approved by a specialist

before handling this product.

Respiratory protection: Self-contained respiratory equipment must be worn by spray

operator, even when good ventilation is provided. By other operations than spraying, in well ventilated areas, air-fed respirators could be replaced by a combination charcoal filter

and particulate filter mask.

Section 9. Physical and chemical properties

Appearance

Physical state: Liquid

Colour: RAL Colors

Odour: Characteristic.

Odour threshold: Not applicable.

pH: Not applicable.

Melting point: Not applicable.

Boiling point: Not available.

Flash point: Not available.

Evaporation rate: Not available.

Flammability (solid, gas): Not applicable.

Lower and upper explosive

(flammable) limits:

Date of issue:28.08.2024 Page: 6/10

Not applicable.



Vapour pressure:

Vapour density:

Not available.

Not available.

1.3 to 1.39 g/cm³

Solubility: Insoluble in the following materials: cold water and hot water.

Partition coefficient: n-

octanol/water:

Auto-ignition temperature:

Not available.

Not available.

Not available.

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product

or its ingredients.

Chemical stability: The product is stable.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

Avoid all possible sources of ignition (spark or flame). Do not pressurise, cut, weld, braze, solder, drill, grind or expose

containers to heat or sources of ignition.

Incompatible materials: Reactive or incompatible with the following materials: oxidising

materials

Hazardous decomposition Under normal conditions of storage and use, hazardous

products: decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity:

For this endpoint no toxicological test data is available for the whole product.

<u>Irritation/Corrosion:</u>

Conditions to avoid:

For this endpoint no toxicological test data is available for the whole product.

Sensitisation:

For this endpoint no toxicological test data is available for the whole product.

Mutagenicity:

For this endpoint no toxicological test data is available for the whole product.

Carcinogenicity:

For this endpoint no toxicological test data is available for the whole product.

Reproductive toxicity:

For this endpoint no toxicological test data is available for the whole product.

Teratogenicity:

For this endpoint no toxicological test data is available for the whole product.

Specific target organ toxicity (single exposure):

For this endpoint no toxicological test data is available for the whole product.

Specific target organ toxicity (repeated exposure):

For this endpoint no toxicological test data is available for the whole product.

Date of issue:28.08.2024 Page: 7/10



Aspiration hazard:

For this endpoint no toxicological test data is available for the whole product.

Information on likely routes of Not available.

exposure:

Potential acute health effects

Eye contact:

No known significant effects or critical hazards

Inhalation:

No known significant effects or critical hazards

Skin contact: Causes mild skin irritation. May cause an allergic skin reaction.

Ingestion: No known significant effects or critical hazards

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following:

pain or irritation

watering redness

Inhalation: No specific data.

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Long term exposure

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Potential chronic health effects

Not available.

General: Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels.

Carcinogenicity:

No known significant effects or critical hazards.

Mutagenicity:

No known significant effects or critical hazards.

Ingestion:

No known significant effects or critical hazards.

Teratogenicity:

No known significant effects or critical hazards.

Developmental effects:

No known significant effects or critical hazards.

Fertility effects:

No known significant effects or critical hazards.

No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates:

Not available.

Date of issue:28.08.2024 Page: 8/10





Section 12. Ecological information

Toxicity:

Not available..

Persistence and degradability:

Not available.

Bioaccumulative potential:

Not available...

Mobility in soil:

Soil/water partition coefficient (K_{oc}): Not available.

Other adverse effects: None known.

Section 13. Disposal considerations

Disposal methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	ADR/RID	IMDG	IATA
UN number	UN1263	UN1263	UN1263
UN proper shipping name	Paint	Paint	Paint
Transport hazard class(es)	3	3	3
Packing group	III	III	III
Environmental hazards	No.	No.	No.

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue:28.08.2024 Page: 9/10



Section 15. Regulatory information

Safety, health and environmental regulations specific for the product

No available data.

International regulation

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information

History

Date of printing: 28.08.2024

Date of issue/Date of revision: 28.08.2024

Date of previous issue: NA Version: 01

Date of issue:28.08.2024 Page: 10/10



Uniguard PU Topcoat Comp B

Section 1. Identification

Product name: Uniguard PU Topcoat Comp B

Product description: Hardener
Product type Liquid

Other means of identification: Not available

Supplier's details: Universal Paint Technologies

Wadi Al-eish Zarqa, Jordan.

Tel: 00962 6 4884454 Fax: 00962 6 4884458

Section 2. Hazards identification

Classification of the substance or FLAMMABLE LIQUIDS - Category 3

mixture: ACUTE TOXICITY (inhalation) - Category 4

SKIN SENSITISATION - Category 1

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE

(Respiratory tract irritation) - Category 3

LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3

GHS label elements Hazard pictograms:

Signal word:

Hazard statements: H226 - Flammable liquid and vapour.

Warning.

H317 - May cause an allergic skin reaction.

H332 - Harmful if inhaled.

H335 - May cause respiratory irritation.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements

Prevention: P280 - Wear protective gloves, protective clothing, eye

protection, face protection, or hearing protection.

P210 - Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. P273 - Avoid release to the environment.

P261 - Avoid breathing vapour.

Response: P304 + P312 - IF INHALED: Call a POISON CENTER or doctor

if you feel unwell.

P362 + P364 - Take off contaminated clothing and wash it

before reuse.

P302 + P352 - IF ON SKIN: Wash with plenty of water.

P333 + P313 - If skin irritation or rash occurs: Get medical advice

or attention.

Storage: P403 + P233 - Store in a well-ventilated place. Keep container

tightly closed.

Disposal: P501 - Dispose of contents and container in accordance with

all local, regional, national and international regulations.

Date of issue:28.08.2024 Page: 1/10



Other hazards which do not result in None known. classification:

Section 3. Composition/information on ingredients

Substance/mixture: Mixture

Other means of identification: Not available.

CAS number/other identifiers

CAS number: Not applicable.

EC number: Mixture

Ingredient name	%	CAS number
Hexamethylene diisocyanate, oligomers	≥75 - ≤90	28182-81-2
n-butyl acetate	< 10	123-86-4
hydrocarbons, C9, aromatics	< 10	64742-95-6

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper

and lower eyelids. Check for and remove any contact lenses. Continue

to rinse for at least 10 minutes. Get medical attention.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints

or symptoms, avoid further exposure.

Skin contact: Wash with plenty of soap and water. Remove contaminated clothing and

shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly

before reuse.

Date of issue:28.08.2024 Page: 2/10



Ingestion: Wash out mouth with water. Remove dentures if any. If material has been

swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway.

Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: No known significant effects or critical hazards.

Inhalation: Harmful if inhaled. May cause respiratory irritation

Skin contact: May cause an allergic skin reaction.

Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: No specific data.

Inhalation: Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician: In case of inhalation of decomposition products in a fire, symptoms

may be delayed. The exposed person may need to be kept under

medical surveillance for 48 hours.

Specific treatments: No specific treatment

Protection of first-aiders: No action shall be taken involving any personal risk or without

suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing

thoroughly with water before removing it, or wear gloves

See toxicological information (Section 11)

Section 5. Firefighting measures

Extinguishing media

Suitable extinguishing media: Use dry chemical, CO₂, water spray (fog) or foam

Unsuitable extinguishing media: Do not use water jet.

Date of issue:28.08.2024 Page: 3/10



Products of Combustion: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides

Special protective actions for fire-

fighters:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for

fire-fighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency No action shall be taken involving any personal risk or without

personnel:

suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders:

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable

materials.

Environmental precautions:

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers,

waterways, soil or air).

Methods and material for containment and cleaning up

Small spill: Stop leak if without risk. Move containers from spill area. Dilute

with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed

waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Prevent

entry into sewers, water courses, basements or confined areas. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Avoid generation and spreading of dust. Avoid contact with skin or inhalation of spillage, dust vapour. Wear necessary protective equipment. Containers with collected spillage must be properly

labelled with correct contents and hazard symbol.

Section 7. Handling and storage

Precautions for safe handling Protective measures:

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitisation problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not

Date of issue:28.08.2024 Page: 4/10



breathe vapour or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, including any incompatibilities:

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

Appropriate engineering controls:

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

<u>Individual protection measures</u> Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue:28.08.2024 Page: 5/10



Eye/face protection:

Safety eyewear complying to EN 166 should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.

Skin protection

Hand protection:

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals. The breakthrough time must be greater than the end use time of the product. The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed. Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/chemical damage and poor maintenance.

Barrier creams may help to protect the exposed areas of the skin but should not be applied once exposure has occurred.

Wear suitable gloves tested to EN374.

Recommended, gloves(breakthrough time) > 8 hours: nitrile

rubber, butyl rubber, PVC.

Body protection: Personal protective equipment for the body should be selected

based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection: Appropriate footwear and any additional skin protection

measures should be selected based on the task being performed and the risks involved and should be approved by a specialist

before handling this product.

Respiratory protection: Self-contained respiratory equipment must be worn by spray

operator, even when good ventilation is provided. By other operations than spraying, in well ventilated areas, air-fed respirators could be replaced by a combination charcoal filter

and particulate filter mask.

Section 9. Physical and chemical properties

Appearance

Physical state: Liquid

Colour: Colourless

Odour: Characteristic.

Odour threshold: Not applicable.

pH: Not applicable.

Melting point: Not applicable.

Boiling point: Not available.

Date of issue:28.08.2024 Page: 6/10



Flash point: Not available.

Not available. **Evaporation rate:** Flammability (solid, gas): Not applicable. Lower and upper explosive Not applicable.

(flammable) limits:

Vapour pressure: Not available. Not available. Vapour density: Density: 1.13 g/cm³

Solubility: Insoluble in the following materials: cold water and hot water.

Partition coefficient: n-

octanol/water: Not available. Not available. Auto-ignition temperature: **Decomposition temperature:** Not available.

Section 10. Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product

or its ingredients.

Chemical stability: The product is stable.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous

reactions will not occur.

Avoid all possible sources of ignition (spark or flame). Do not

pressurise, cut, weld, braze, solder, drill, grind or expose

containers to heat or sources of ignition.

Reactive or incompatible with the following materials: oxidising **Incompatible materials:**

Hazardous decomposition Under normal conditions of storage and use, hazardous

products: decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity:

For this endpoint no toxicological test data is available for the whole product.

Irritation/Corrosion:

Conditions to avoid:

For this endpoint no toxicological test data is available for the whole product.

Sensitisation:

For this endpoint no toxicological test data is available for the whole product.

Mutagenicity:

For this endpoint no toxicological test data is available for the whole product.

Carcinogenicity:

For this endpoint no toxicological test data is available for the whole product.

Reproductive toxicity:

For this endpoint no toxicological test data is available for the whole product.

Teratogenicity:

Date of issue:28.08.2024 Page: 7/10



For this endpoint no toxicological test data is available for the whole product.

Specific target organ toxicity (single exposure):

For this endpoint no toxicological test data is available for the whole product.

Specific target organ toxicity (repeated exposure):

For this endpoint no toxicological test data is available for the whole product.

Aspiration hazard:

For this endpoint no toxicological test data is available for the whole product.

Information on likely routes of

Not available.

exposure:

Potential acute health effects

Eye contact:

No known significant effects or critical hazards

Inhalation:

No known significant effects or critical hazards

Skin contact: Causes mild skin irritation. May cause an allergic skin reaction.

Ingestion: No known significant effects or critical hazards

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: No specific data.

Inhalation: Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact: Adverse symptoms may include the following:

irritation redness

Ingestion: No specific data.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Short term exposure

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Long term exposure

Potential immediate effects: Not available.

Potential delayed effects: Not available.

Potential chronic health effects

Not available.

General: Once sensitized, a severe allergic reaction may occur when

subsequently exposed to very low levels.

Carcinogenicity:

No known significant effects or critical hazards.

Mutagenicity:

No known significant effects or critical hazards.

Ingestion:

No known significant effects or critical hazards.

Teratogenicity:

No known significant effects or critical hazards.

Developmental effects:

No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Date of issue:28.08.2024 Page: 8/10



Numerical measures of toxicity
Acute toxicity estimates:

Not available.

Section 12. Ecological information

Toxicity:

Not available..

Persistence and degradability:

Not available.

Bioaccumulative potential:

Not available..

Mobility in soil:

Soil/water partition coefficient (K_{oc}): Not available.

Other adverse effects: None known.

Section 13. Disposal considerations

Disposal methods:

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	ADR/RID	IMDG	IATA
UN number	UN1866	UN1866	UN1866
UN proper shipping name	Resin Solution	Resin Solution	Resin Solution
Transport hazard class(es)	3	3	3
Packing group	III	III	III
Environmental hazards	No.	No.	No.

Date of issue:28.08.2024 Page: 9/10



Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

Safety, health and environmental regulations specific for the product

No available data.

International regulation

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Section 16. Other information

History

Date of printing: 28.08.2024

Date of issue/Date of revision: 28.08.2024

Date of previous issue: NA
Version: 01

Date of issue:28.08.2024 Page: 10/10