

Technical Data Sheet

Deep Clean WB

Product Description

Deep Clean WB is a ready to use, non-toxic, water-based solution suitable for cleaning dirt and grease residues from surfaces. Its advanced formula is designed to penetrate and dissolve stubborn residues, making it ideal for a wide range of applications. In addition to that, it restores the surface to its natural color even after many years of use.

Features and benefits

- Easy to use spray application simplifies the cleaning process.
- Fast acting.
- Works quickly to penetrate and dissolve grease.
- Removes tough grease and grime, ensuring surfaces are thoroughly cleaned.
- Safe to use on a variety of surfaces.

Typical use

•

• Suitable for various surfaces, including asphalt, kerbs, metal, concrete, plastic, and tile. Ideal for use in automotive, manufacturing, food service, and household environments.

Substrate

Works well on a wide variety of substrates such as metal, concrete, plastic, ceramic and tile, glass, rubber, wood, kitchen appliances and any absorbent surface.

Product Data

Packaging size750 mLFormLiquid

Appearance Pink

Density 1.02 g/cm^3

Application data

The product can be applied directly from the bottle by spraying. Or using the below:

Fine Sponge Recommended for Soft Surfaces.

Brush Recommended for rough Surfaces.



Technical Data Sheet

Cleaning of painting tools

Immediate cleaning with water is necessary.

Film Thickness per coat

Dry film thickness 35 μm

Theoretical spreading rate $30 \text{ m}^2/\text{ L}$

Spreading rates depend on the conditions of the substrate.

Thinner (solvent to mix with)

Ready for application

Dilution (Mix Ratio)

Ready for application

Conditions during application

Do not apply if the temperature is below 5°C and not more than 60°C. Avoid working under direct sunlight.

Drying and curing time 25 °C

Surface (touch) dry 1 h

Dry to over coat, minimum 10 h

Full Cure 24 h

Directions for use

Surface Preparation

- Remove any loose dirt from the surface.
- Surface must be fully dry before starting the application.
- Apply the material until the surface is fully covered, wait 2 minutes then rinse with water to remove any residues.

Recommended Paint System

Number of coats:

Apply as much as necessary.



Technical Data Sheet

Storage

- Store in cool, dry place in a well-sealed container.
- Keep away from heat, ignition sources and from children.

Caution

- Do not use dirty tools.
- Keep out of the reach of children.

Health and safety

Possible Hazards: it causes irritation in case of skin contact & eye contact, flush immediately with plenty of water for at least 10 minutes and seek medical advice in case it happened.